Zertifikat *Certificate*

TÜVRheinland®

Zertifikat Nr. *Certificate No.*
PV 50550375

Blatt *Sheet*
0001

Ihr Zeichen *Client Reference*	**Unser Zeichen** *Our Reference*	**Ausstellungsdatum**	*Date of Issue*
Q.H	01-SYM-CN224S2N 001	21.07.2022	*(day/mo/yr)*

Genehmigungsinhaber *License Holder*
Chint New Energy Technology
Co., Ltd.
No. 1 Jisheng Road,
Jianshan New Zone
Haining
314415 Zhejiang
P.R. China

Fertigungsstätte *Manufacturing Plant*
Refer to latest revision
of the annex list of factories

Prüfzeichen *Test Mark*

TÜVRheinland® CERTIFIED
IEC 61701
Salt Mist Resistance
Regular Production Surveillance
www.tuv.com
ID 1111256444

Geprüft nach *Tested acc. to*
IEC 61701:2020
EN IEC 61701:2020

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

PV Module

Type Designation:
Max. System Voltage: up to 1500 VDC (Voc at STC):
With mono c-Si cells:
CHSM6612M(DG)-xxx (xxx=310-360, in steps of 5, 72 cells)
CHSM6612M(DG)/F-xxx (xxx=310-360, in steps of 5, 72 cells)
CHSM72M(DG)-B-xxx (xxx=345-400, in steps of 5, 72 cells)
CHSM60M(DG)-B-xxx (xxx=285-330, in steps of 5, 60 cells)
CHSM72M(DGT)-B-xxx (xxx=340-370, in steps of 5, 72 cells)
CHSM60M(DGT)-B-xxx (xxx=280-305, in steps of 5, 60 cells)
CHSM72M(DG)/F-B-xxx (xxx=345-400, in steps of 5, 72 cells)
CHSM60M(DG)/F-B-xxx (xxx=285-330, in steps of 5, 60 cells)
CHSM72M(DGT)/F-B-xxx
(xxx=340-370, in steps of 5, 72 cells)
CHSM60M(DGT)/F-B-xxx
(xxx=280-305, in steps of 5, 60 cells)
With ½ cut mono c-Si cells:
CHSM72M(DG)-BH-xxx (xxx=365-455, in steps of 5, 144 cells)
CHSM60M(DG)-BH-xxx (xxx=305-380, in steps of 5, 120 cells)
CHSM72M(DG)/F-BH-xxx
(xxx=365-455, in steps of 5, 144 cells)
CHSM60M(DG)/F-BH-xxx
(xxx=305-380, in steps of 5, 120 cells)
Continued on Page 0002

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

Zertifizierungsstelle
TÜVRheinland LGA Products GmbH
Zertifizierstelle
Dipl.-Ing. Matthias Grzam

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
http://www.tuv.com/safety E-mail: markcheck@tuv.com
Fax: +49 221 806-3935

TÜV, TUEV and TUV are registered trademarks. Utilisation and application requires prior approval.

Zertifikat *Certificate*

TÜVRheinland®

Zertifikat Nr. *Certificate No.*
PV 50550375

Blatt *Sheet*
0002

Ihr Zeichen *Client Reference*	**Unser Zeichen** *Our Reference*	**Ausstellungsdatum**	*Date of Issue*
Q.H	01-SYM-CN224S2N 001	21.07.2022	*(day/mo/yr)*

Genehmigungsinhaber *License Holder*
Chint New Energy Technology
Co., Ltd.
No. 1 Jisheng Road,
Jianshan New Zone
Haining
314415 Zhejiang
P.R. China

Fertigungsstätte *Manufacturing Plant*
Refer to latest revision
of the annex list of factories

Prüfzeichen *Test Mark*

TÜVRheinland® CERTIFIED
IEC 61701
Salt Mist Resistance
Regular Production Surveillance
www.tuv.com
ID 1111256444

Geprüft nach *Tested acc. to*
IEC 61701:2020
EN IEC 61701:2020

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

PV Module

Continuation of Page 0001
CHSM72M(DGT)-BH-xxx
(xxx=355-445, in steps of 5, 144 cells)
CHSM60M(DGT)-BH-xxx
(xxx=295-370, in steps of 5, 120 cells)
CHSM72M(DGT)/F-BH-xxx
(xxx=355-445, in steps of 5, 144 cells)
CHSM60M(DGT)/F-BH-xxx
(xxx=295-370, in steps of 5, 120 cells)
CHSM72M(DGT)-BH-xxx
(xxx=505-545, in steps of 5, 144 cells)
CHSM72M(DGT)/F-BH-xxx
(xxx=505-545, in steps of 5, 144 cells)
CHSM72M(DG)-BH-xxx
(xxx=515-555, in steps of 5, 144 cells)
CHSM72M(DG)/F-BH-xxx
(xxx=515-555, in steps of 5, 144 cells)
CHSM66M(DGT)-BH-xxx
(xxx=465-495, in steps of 5, 132 cells)
CHSM66M(DGT)/F-BH-xxx
(xxx=465-495, in steps of 5, 132 cells)
Continued on Page 0003

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

Zertifizierungsstelle
TÜV Rheinland LGA Products GmbH
TÜVRheinland
Dipl.-Ing. Matthias Erzam

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
http://www.tuv.com/safety E-mail: markcheck@tuv.com
Fax: +49 221 806-3935

TÜV, TÜV and TÜV are registered trademarks. Utilisation and application requires prior approval.

Zertifikat *Certificate*

TÜVRheinland®

Zertifikat Nr. *Certificate No.*
PV 50550375

Blatt *Sheet*
0003

Ihr Zeichen *Client Reference*	**Unser Zeichen** *Our Reference*	**Ausstellungsdatum**	*Date of Issue*
Q.H	01-SYM-CN224S2N 001	21.07.2022	*(day/mo/yr)*

Genehmigungsinhaber *License Holder*
Chint New Energy Technology
Co., Ltd.
No. 1 Jisheng Road,
Jianshan New Zone
Haining
314415 Zhejiang
P.R. China

Fertigungsstätte *Manufacturing Plant*
Refer to latest revision
of the annex list of factories

Prüfzeichen *Test Mark*

TÜVRheinland® CERTIFIED
IEC 61701
Salt Mist
Resistance
Regular Production
Surveillance
www.tuv.com
ID 1111256444

Geprüft nach *Tested acc. to*
IEC 61701:2020
EN IEC 61701:2020

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

PV Module

Continuation of Page 0002
CHSM66M(DG)-BH-xxx
(xxx=475-510, in steps of 5, 132 cells)
CHSM66M(DG)/F-BH-xxx
(xxx=475-510, in steps of 5, 132 cells)
CHSM54M(DG)-BH-xxx
(xxx=390-415, in steps of 5, 108 cells)
CHSM54M(DG)/F-BH-xxx
(xxx=390-415, in steps of 5, 108 cells)
CHSM66M(DG)/F-BH-xxx
(xxx=635-675, in steps of 5, 132 cells)
CHSM60M(DG)/F-BH-xxx
(xxx=580-610, in steps of 5, 120 cells)
CHSM55M(DG)/F-BH-xxx
(xxx=530-565, in steps of 5, 110 cells)
CHSM50M(DG)/F-BH-xxx
(xxx=485-510, in steps of 5, 100 cells)
CHSM78M(DG)/F-BH-xxx
(xxx=585-605, in steps of 5,156 cells)
CHSM60M(DG)/F-BH-xxx
(xxx=430-465, in steps of 5, 120 cells)
Continued on Page 0004

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

Zertifizierungsstelle

TÜV Rheinland LGA Products GmbH

TÜVRheinland

Dipl.-Ing. Matthias Grzam

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
http://www.tuv.com/safety E-mail: markcheck@tuv.com
Fax: +49 221 806-3935

TÜV, TÜEV and TUV are registered trademarks. Utilisation and application requires prior approval.

Zertifikat *Certificate*

TÜVRheinland®

Zertifikat Nr. *Certificate No.*	**Blatt** *Sheet*
PV 50550375	0004

Ihr Zeichen *Client Reference*	**Unser Zeichen** *Our Reference*	**Ausstellungsdatum**	*Date of Issue*
Q.H	01-SYM-CN224S2N 001	21.07.2022	*(day/mo/yr)*

Genehmigungsinhaber *License Holder*

Chint New Energy Technology
Co., Ltd.
No. 1 Jisheng Road,
Jianshan New Zone
Haining
314415 Zhejiang
P.R. China

Fertigungsstätte *Manufacturing Plant*

Refer to latest revision
of the annex list of factories

Prüfzeichen *Test Mark*

TÜVRheinland® CERTIFIED
IEC 61701
Salt Mist Resistance
Regular Production Surveillance
www.tuv.com
ID 1111256444

Geprüft nach *Tested acc. to*

IEC 61701:2020
EN IEC 61701:2020

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

PV Module

Continuation of Page 0003
With ½ cut of N-type mono c-Si cells:
CHSM66N(DG)/F-BH-xxx
(xxx=650-695, in steps of 5, 132 cells)
CHSM60N(DG)/F-BH-xxx
(xxx=595-630, in steps of 5, 120 cells)
CHSM78N(DG)/F-BH-xxx
(xxx=580-615, in steps of 5, 156 cells)
CHSM72N(DG)/F-BH-xxx
(xxx=550-565, in steps of 5, 144 cells)
CHSM54N(DG)/F-BH-xxx
(xxx=405-425, in steps of 5, 108 cells)
CHSM60N(DG)/F-BH-xxx
(xxx=450-470, in steps of 5, 120 cells)

Remarks:
- Valid in conjunction with TÜV Rheinland certificate PV 50542224 Page 0001-0006 and only for the material combination as listed in the above mentioned test report.
- Test performed with Test Method 6 of 6.

Continued on Page 0005

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

Zertifizierungsstelle

TÜV Rheinland LGA Products GmbH
TÜVRheinland
Zertifizierungsstelle

Dipl.-Ing. Matthias Grzam

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
http://www.tuv.com/safety E-mail: markcheck@tuv.com
Fax: +49 221 806-3935

10/020 d TÜV, TÜEV and TUV are registered trademarks. Utilisation and application requires prior approval.

Zertifikat *Certificate*

TÜVRheinland®

Zertifikat Nr. *Certificate No.*	Blatt *Sheet*
PV 50550375	0005

Ihr Zeichen *Client Reference*	Unser Zeichen *Our Reference*	Ausstellungsdatum	*Date of Issue*
Q.H	01-SYM-CN224S2N 001	21.07.2022	*(day/mo/yr)*

Genehmigungsinhaber *License Holder*

Chint New Energy Technology
Co., Ltd.
No. 1 Jisheng Road,
Jianshan New Zone
Haining
314415 Zhejiang
P.R. China

Fertigungsstätte *Manufacturing Plant*

Refer to latest revision
of the annex list of factories

Prüfzeichen *Test Mark*

TÜVRheinland® CERTIFIED
IEC 61701
Salt Mist Resistance
Regular Production Surveillance
www.tuv.com
ID 1111256444

Geprüft nach *Tested acc. to*

IEC 61701:2020
EN IEC 61701:2020

Zertifiziertes Produkt (Geräteidentifikation) *Certified Product (Product Identification)*

PV Module

Lizenzentgelte - Einheit *License Fee - Unit*

Continuation of Page 0004

Conditions:
The product test is voluntarily according to technical regulations. Any change of the design, materials, components or processing may require the repetition of some of the qualification tests in order to retain type approval.
The certificate is valid until 09 May 2027.

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

Zertifizierungsstelle

Dipl.-Ing. Matthias Grzam

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
http://www.tuv.com/safety E-mail: markcheck@tuv.com
Fax: +49 221 806-3935

TÜV, TUEV and TUV are registered trademarks. Utilisation and application requires prior approval.

Zertifikat *Certificate*

TÜVRheinland®

Zertifikat Nr. *Certificate No.*
PV 50550375

Blatt *Sheet*
0006

Ihr Zeichen *Client Reference*	**Unser Zeichen** *Our Reference*	**Ausstellungsdatum**	*Date of Issue*
Q.H	01-SYM-CN224S2N 002	22.02.2023	*(day/mo/yr)*

Genehmigungsinhaber *License Holder*
Chint New Energy Technology
Co., Ltd.
No. 1 Jisheng Road,
Jianshan New Zone
Haining
314415 Zhejiang
P.R. China

Fertigungsstätte *Manufacturing Plant*
Refer to latest revision
of the annex list of factories

Prüfzeichen *Test Mark*

TÜVRheinland® CERTIFIED
IEC 61701
Salt Mist
Resistance
Regular Production
Surveillance
www.tuv.com
ID 1111256444

Geprüft nach *Tested acc. to*
IEC 61701:2020
EN IEC 61701:2020

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

PV Module

Same as Page 0001-0005

In addition:
Type Designation:
Max. System Voltage: up to 1500 VDC (Voc at STC):
With ½ cut mono c-Si cells:
CHSM72M(DG)/F-HC-xxx
(xxx=535-555, in steps of 5, 144 cells)
CHSM54M(DGT)-BH-xxx
(xxx=380-405, in steps of 5, 108 cells)
CHSM54M(DGT)/F-BH-xxx
(xxx=380-405, in steps of 5, 108 cells)
CHSM60M(DG)/F-HC-xxx
(xxx=450-460, in steps of 5, 120 cells)
CHSM54M(DG)/F-HC-xxx
(xxx=405-415, in steps of 5, 108 cells)
CHSM72M(DG)-BH-xxx (xxx=560-565, in steps of 5, 144 cells)
CHSM72M(DG)/F-BH-xxx
(xxx=560-565, in steps of 5, 144 cells)
Continued on Page 0007

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

Zertifizierungsstelle

TÜV Rheinland LGA Products GmbH Zertifizierungsstelle

Dipl.-Ing. Matthias Grzam

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
http://www.tuv.com/safety E-mail: markcheck@tuv.com
Fax: +49 221 806-3935

10/020 d 04.08 ® TÜV, TUEV and TUV are registered trademarks. Utilisation and application requires prior approval.

Zertifikat *Certificate*

TÜVRheinland®

Zertifikat Nr. *Certificate No.*	Blatt *Sheet*
PV 50550375	0007

Ihr Zeichen *Client Reference*	Unser Zeichen *Our Reference*	Ausstellungsdatum	*Date of Issue*
Q.H	01-SYM-CN224S2N 002	22.02.2023	*(day/mo/yr)*

Genehmigungsinhaber *License Holder*

Chint New Energy Technology
Co., Ltd.
No. 1 Jisheng Road,
Jianshan New Zone
Haining
314415 Zhejiang
P.R. China

Fertigungsstätte *Manufacturing Plant*

Refer to latest revision
of the annex list of factories

Prüfzeichen *Test Mark*

TÜVRheinland® CERTIFIED
IEC 61701
Salt Mist
Resistance
Regular Production
Surveillance
www.tuv.com
ID 1111256444

Geprüft nach *Tested acc. to*

IEC 61701:2020
EN IEC 61701:2020

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

PV Module

Continuation of Page 0006

CHSM66M(DG)-BH-xxx (xxx=515, 132 cells)
CHSM66M(DG)/F-BH-xxx (xxx=515, 132 cells)
CHSM60M(DG)/F-BH-xxx (xxx=470, 120 cells)
CHSM54M(DG)-BH-xxx (xxx=420, 108 cells)
CHSM54M(DG)/F-BH-xxx (xxx=420, 108 cells)
With ½ cut of N-type mono c-Si cells:
CHSM72N(DG)/F-HC-xxx
(xxx=550-580, in steps of 5, 144 cells)
CHSM60N(DG)/F-HC-xxx
(xxx=460-480, in steps of 5, 120 cells)
CHSM54N(DG)/F-HC-xxx
(xxx=415-435, in steps of 5, 108 cells)
CHSM72N(DGT)/F-BH-xxx
(xxx=525-565, in steps of 5, 144 cells)
CHSM60N(DGT)/F-BH-xxx
(xxx=440-470, in steps of 5, 120 cells)
CHSM54N(DGT)/F-BH-xxx
(xxx=395-420, in steps of 5, 108 cells)
Continued on Page 0008

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

Zertifizierungsstelle

TÜV Rheinland LGA Products GmbH
TÜVRheinland®

Dipl.-Ing. Matthias Grzam

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
http://www.tuv.com/safety E-mail: markcheck@tuv.com
Fax: +49 221 806-3935

10/020 d 04.08 ® TÜV, TUEV and TUV are registered trademarks. Utilisation and application requires prior approval.

Zertifikat *Certificate*

TÜVRheinland®

Zertifikat Nr. *Certificate No.*	**Blatt** *Sheet*
PV 50550375	0008

Ihr Zeichen *Client Reference*	**Unser Zeichen** *Our Reference*	**Ausstellungsdatum**	*Date of Issue*
Q.H	01-SYM-CN224S2N 002	22.02.2023	*(day/mo/yr)*

Genehmigungsinhaber *License Holder*

Chint New Energy Technology
Co., Ltd.
No. 1 Jisheng Road,
Jianshan New Zone
Haining
314415 Zhejiang
P.R. China

Fertigungsstätte *Manufacturing Plant*

Refer to latest revision
of the annex list of factories

Prüfzeichen *Test Mark*

TÜVRheinland® CERTIFIED
IEC 61701
Salt Mist
Resistance
Regular Production
Surveillance
www.tuv.com
ID 1111256444

Geprüft nach *Tested acc. to*

IEC 61701:2020
EN IEC 61701:2020

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

PV Module

Continuation of Page 0007

CHSM78N(DG)/F-BH-xxx
(xxx=620-630, in steps of 5, 156 cells)
CHSM72N(DG)/F-BH-xxx
(xxx=535-545, in steps of 5, 144 cells)
CHSM72N(DG)/F-BH-xxx
(xxx=570-585, in steps of 5, 144 cells)
CHSM60N(DG)/F-BH-xxx
(xxx=475-485, in steps of 5, 120 cells)
CHSM54N(DG)/F-BH-xxx
(xxx=430-435, in steps of 5, 108 cells)

Remarks:
- Manufacturing plant update: see annex.

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

Zertifizierungsstelle

TÜV Rheinland LGA Products GmbH

Dipl.-Ing. Matthias Grzam

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
http://www.tuv.com/safety E-mail: markcheck@tuv.com
Fax: +49 221 806-3935

10/020 d 04.08 TÜV, TUEV and TUV are registered trademarks. Utilisation and application requires prior approval.

Zertifikat *Certificate*

TÜVRheinland®

Zertifikat Nr. *Certificate No.*
PV 50550375

Blatt *Sheet*
0009

Ihr Zeichen *Client Reference*	**Unser Zeichen** *Our Reference*	**Ausstellungsdatum**	*Date of Issue*
Q.H	01-SYM-CN224S2N 003	28.06.2023	*(day/mo/yr)*

Genehmigungsinhaber *License Holder*
Chint New Energy Technology
Co., Ltd.
No. 1 Jisheng Road,
Jianshan New Zone
Haining
314415 Zhejiang
P.R. China

Fertigungsstätte *Manufacturing Plant*
Refer to latest revision
of the annex list of factories

Prüfzeichen *Test Mark*

TÜVRheinland® CERTIFIED
IEC 61701
Salt Mist Resistance
Regular Production Surveillance
www.tuv.com
ID 1111256444

Geprüft nach *Tested acc. to*
IEC 61701:2020
EN IEC 61701:2020

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

PV Module

Same as Page 0001-0008

In addition:
Type Designation:
Max. System Voltage: up to 1500 VDC (Voc at STC):
With ½ cut of N-type mono c-Si cells:
CHSM72RN(DG)/F-BH-xxx
(xxx=590-605, in steps of 5, 144 cells)
CHSM54RN(DG)/F-BH-xxx
(xxx=445-450, in steps of 5, 108 cells)
CHSM54N(DGT)(BLH)/F-BH-xxx
(xxx=395-420, in steps of 5, 108 cells)
CHSM48N(DGT)/F-BH-xxx
(xxx=345-380, in steps of 5, 96 cells)
With ½ cut mono c-Si cells:
CHSM48M(DGT)/F-BH-xxx
(xxx=340-370, in steps of 5, 96 cells)

Remarks:
- Manufacturing plant update: see annex.

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

Zertifizierungsstelle

TÜV Rheinland LGA Products GmbH TÜVRheinland® Zertifizierungsstelle

Dipl.-Ing. Matthias Grzam

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
http://www.tuv.com/safety E-mail: markcheck@tuv.com
Fax: +49 221 806-3935

Zertifikat *Certificate*

TÜVRheinland®

Zertifikat Nr. *Certificate No.*
PV 50550375

Blatt *Sheet*
0010

Ihr Zeichen *Client Reference*	**Unser Zeichen** *Our Reference*	**Ausstellungsdatum**	*Date of Issue*
Q.H	01-SYM-CN224S2N 005	04.02.2024	*(day/mo/yr)*

Genehmigungsinhaber *License Holder*
Chint New Energy Technology
Co., Ltd.
No. 1 Jisheng Road,
Jianshan New Zone
Haining
314415 Zhejiang
P.R. China

Fertigungsstätte *Manufacturing Plant*
Refer to latest revision
of the annex list of factories

Prüfzeichen *Test Mark*

TÜVRheinland® CERTIFIED
IEC 61701
Salt Mist Resistance
Regular Production Surveillance
www.tuv.com
ID 1111256444

Geprüft nach *Tested acc. to*
IEC 61701:2020
EN IEC 61701:2020

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

PV Module

Same as Page 0001-0009

In addition:
Type Designation:
Max. System Voltage: up to 1500 VDC (Voc at STC):
With ½ cut mono c-Si cells:
CHSM78M(DG)/F-HC-xxx
(xxx=580-615, in steps of 5, 156 cells)
With ½ cut of N-type mono c-Si cells:
CHSM78N(DG)/F-HC-xxx
(xxx=590-645, in steps of 5, 156 cells)
CHSM66RN(DG)/F-HC-xxx
(xxx=585-615, in steps of 5, 132 cells)
CHSM66RN(DG)/F-BH-xxx
(xxx=585-615, in steps of 5, 132 cells)
CHSM54RNs(DG)/F-BH-xxx
(xxx=430-460, in steps of 5,108 cells)
CHSM54RNs(DG)(BLH)/F-BH-xxx
(xxx=425-455, in steps of 5, 108 cells)
CHSM54RNs(DGT)(BLH)/F-BH-xxx
(xxx=425-460, in steps of 5, 108 cells)
Continued on Page 0011

TÜV Rheinland LGA Products GmbH Zertifizierungsstelle

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

Zertifizierungsstelle

Angela Yao

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
http://www.tuv.com/safety E-mail: markcheck@tuv.com
Fax: +49 221 806-3935

10/020 d 04.08 ® TÜV, TUEV and TUV are registered trademarks. Utilisation and application requires prior approval.

Zertifikat *Certificate*

Zertifikat Nr. *Certificate No.*
PV 50550375

Blatt *Sheet*
0011

Ihr Zeichen *Client Reference*	**Unser Zeichen** *Our Reference*	**Ausstellungsdatum** *Date of Issue*
Q.H	01-SYM-CN224S2N 005	04.02.2024 *(day/mo/yr)*

Genehmigungsinhaber *License Holder*
Chint New Energy Technology
Co., Ltd.
No. 1 Jisheng Road,
Jianshan New Zone
Haining
314415 Zhejiang
P.R. China

Fertigungsstätte *Manufacturing Plant*
Refer to latest revision
of the annex list of factories

Prüfzeichen *Test Mark*

TÜVRheinland CERTIFIED
IEC 61701
Salt Mist Resistance
Regular Production Surveillance
www.tuv.com
ID 1111256444

Geprüft nach *Tested acc. to*
IEC 61701:2020
EN IEC 61701:2020

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

PV Module

Continuation of Page 0010
CHSM54RNs(DGT)/F-BH-xxx
(xxx=430-460, in steps of 5, 108 cells)
CHSM54RNs(DG)/F-HC-xxx
(xxx=430-460, in steps of 5, 108 cells)
CHSM72RN(DG)/F-HC-xxx
(xxx=585-630, in steps of 5, 144 cells)
CHSM54RN(DG)/F-HC-xxx
(xxx=440-470, in steps of 5, 108 cells)
Power range extension for following models:
With ½ cut mono c-Si cells:
CHSM78M(DG)/F-BH-xxx (xxx=580, 156 cells)
CHSM72M(DGT)/F-BH-xxx
(xxx=550-565, in steps of 5, 144 cells)
CHSM66M(DGT)/F-BH-xxx
(xxx=500-515, in steps of 5, 132 cells)
CHSM54M(DGT)/F-BH-xxx
(xxx=410-420, in steps of 5, 108 cells)
Continued on Page 0012

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

TÜV Rheinland LGA Products GmbH Zertifizierungsstelle

Zertifizierungsstelle

Angela Yao

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
http://www.tuv.com/safety E-mail: markcheck@tuv.com
Fax: +49 221 806-3935

10/020 d 04.08 ® TÜV, TUEV and TUV are registered trademarks. Utilisation and application requires prior approval.

Zertifikat *Certificate*

Zertifikat Nr. *Certificate No.*
PV 50550375

Blatt *Sheet*
0012

Ihr Zeichen *Client Reference*	Unser Zeichen *Our Reference*	Ausstellungsdatum *Date of Issue*
Q.H	01-SYM-CN224S2N 005	04.02.2024 *(day/mo/yr)*

Genehmigungsinhaber *License Holder*
Chint New Energy Technology
Co., Ltd.
No. 1 Jisheng Road,
Jianshan New Zone
Haining
314415 Zhejiang
P.R. China

Fertigungsstätte *Manufacturing Plant*
Refer to latest revision
of the annex list of factories

Prüfzeichen *Test Mark*

TÜVRheinland CERTIFIED
IEC 61701
Salt Mist Resistance
Regular Production Surveillance
www.tuv.com
ID 1111256444

Geprüft nach *Tested acc. to*
IEC 61701:2020
EN IEC 61701:2020

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

PV Module

Continuation of Page 0011
With ½ cut of N-type mono c-Si cells:
CHSM78N(DG)/F-BH-xxx
(xxx=635-650, in steps of 5, 156 cells)
CHSM72N(DG)/F-BH-xxx
(xxx=590-610, in steps of 5, 144 cells)
CHSM60N(DG)/F-BH-xxx
(xxx=490-505, in steps of 5, 120 cells)
CHSM54N(DG)/F-BH-xxx
(xxx=440-455, in steps of 5, 108 cells)
CHSM72N(DG)/F-HC-xxx
(xxx=585-610, in steps of 5, 144 cells)
CHSM60N(DG)/F-HC-xxx
(xxx=485-505, in steps of 5, 120 cells)
CHSM54N(DG)/F-HC-xxx
(xxx=440-455, in steps of 5, 108 cells)
CHSM72N(DGT)/F-BH-xxx
(xxx=570-600, in steps of 5, 144 cells)
CHSM60N(DGT)/F-BH-xxx
(xxx=475-500, in steps of 5, 120 cells)
Continued on Page 0013

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

TÜV Rheinland LGA Products GmbH Zertifizierungsstelle

Zertifizierungsstelle

Angela Yao

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
http://www.tuv.com/safety E-mail: markcheck@tuv.com
Fax: +49 221 806-3935

10/020 d 04.08 ® TÜV, TUEV and TUV are registered trademarks. Utilisation and application requires prior approval.

Zertifikat *Certificate*

Zertifikat Nr. *Certificate No.*
PV 50550375

Blatt *Sheet*
0013

Ihr Zeichen *Client Reference*	**Unser Zeichen** *Our Reference*	**Ausstellungsdatum** *Date of Issue*
Q.H	01-SYM-CN224S2N 005	04.02.2024 *(day/mo/yr)*

Genehmigungsinhaber *License Holder*
Chint New Energy Technology
Co., Ltd.
No. 1 Jisheng Road,
Jianshan New Zone
Haining
314415 Zhejiang
P.R. China

Fertigungsstätte *Manufacturing Plant*
Refer to latest revision
of the annex list of factories

Prüfzeichen *Test Mark*

TÜVRheinland CERTIFIED
IEC 61701
Salt Mist Resistance
Regular Production Surveillance
www.tuv.com
ID 1111256444

Geprüft nach *Tested acc. to*
IEC 61701:2020
EN IEC 61701:2020

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

PV Module

Continuation of Page 0012
CHSM54N(DGT)/F-BH-xxx
(xxx=425-450, in steps of 5, 108 cells)
CHSM72RN(DG)/F-BH-xxx
(xxx=610-625, in steps of 5, 144 cells)
CHSM54RN(DG)/F-BH-xxx
(xxx=455-465, in steps of 5, 108 cells)
CHSM72RN(DG)/F-BH-xxx
(xxx=580-585, in steps of 5, 144 cells)
CHSM54RN(DG)/F-BH-xxx
(xxx=435-440, in steps of 5, 108 cells)

Remarks:
- Manufacturing plant update: see annex.

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

TÜV Rheinland LGA Products GmbH Zertifizierungsstelle

Zertifizierungsstelle

Angela Yao

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
http://www.tuv.com/safety E-mail: markcheck@tuv.com
Fax: +49 221 806-3935

10/020 d 04.08 ® TÜV, TUEV and TUV are registered trademarks. Utilisation and application requires prior approval.

Zertifikat *Certificate*

Zertifikat Nr. *Certificate No.*
PV 50550375

Blatt *Sheet*
0014

Ihr Zeichen *Client Reference*	Unser Zeichen *Our Reference*	Ausstellungsdatum *Date of Issue*
Q.H	01-JS-CN224S2N 007	05.09.2024 *(day/mo/yr)*

Genehmigungsinhaber *License Holder*
Chint New Energy Technology
Co., Ltd.
No. 1 Jisheng Road,
Jianshan New Zone
Haining
314415 Zhejiang
P.R. China

Fertigungsstätte *Manufacturing Plant*
Refer to latest revision
of the annex list of factories

Prüfzeichen *Test Mark*
TÜVRheinland CERTIFIED
IEC 61701
Salt Mist Resistance
Regular Production Surveillance
www.tuv.com
ID 1111256444

Geprüft nach *Tested acc. to*
IEC 61701:2020
EN IEC 61701:2020

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

PV Module

Same as Page 0001-0013

In addition:
Type Designation:
Max. System Voltage: up to 1500 VDC (Voc at STC):
With ½ cut of N-type mono c-Si cells:
CHSM60RNs(DGT)(BLH)/F-BH-xxx
(xxx=495-515, in steps of 5, 120 cells)
CHSM72N(DG)/F-BH-IA-xxx
(xxx=535-610, in steps of 5, 144 cells)
CHSM78N(DG)/F-BH-IA-xxx
(xxx=580-650, in steps of 5, 156 cells)
Power range extension for following models:
With ½ cut of N-type mono c-Si cells:
CHSM54N(DGT)(BLH)/F-BH-xxx
(xxx=425-450, in steps of 5, 108 cells)
CHSM66RN(DG)/F-BH-xxx
(xxx=620-625, in steps of 5, 132 cells)
CHSM66RN(DG)/F-HC-xxx
(xxx=620-625, in steps of 5, 132 cells)
CHSM66N(DG)/F-BH-xxx
(xxx=700-725, in steps of 5, 132 cells)
Remarks:
- Manufacturing plant update: see annex.

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

TÜV Rheinland LGA Products GmbH Zertifizierungsstelle

Zertifizierungsstelle

Dipl.-Ing. (FH) F. He

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
http://www.tuv.com/safety E-mail: markcheck@tuv.com
Fax: +49 221 806-3935

10/020 d 04.08 ® TÜV, TUEV and TUV are registered trademarks. Utilisation and application requires prior approval.

Zertifikat *Certificate*

Zertifikat Nr. *Certificate No.*
PV 50550375

Blatt *Sheet*
0015

Ihr Zeichen *Client Reference*	Unser Zeichen *Our Reference*	Ausstellungsdatum *Date of Issue*
Q.H	01-JS-CN224S2N 008	27.11.2024 *(day/mo/yr)*

Genehmigungsinhaber *License Holder*
Chint New Energy Technology
Co., Ltd.
No. 1 Jisheng Road,
Jianshan New Zone
Haining
314415 Zhejiang
P.R. China

Fertigungsstätte *Manufacturing Plant*
Refer to latest revision
of the annex list of factories

Prüfzeichen *Test Mark*

IEC 61701
Salt Mist
Resistance
Regular Production
Surveillance
TÜVRheinland
CERTIFIED
www.tuv.com
ID 1111256444

Geprüft nach *Tested acc. to*
IEC 61701:2020
EN IEC 61701:2020

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

PV Module

Same as Page 0001-0014

In addition:
Type Designation:
Max. System Voltage: up to 1500 VDC (Voc at STC):
CHSM60RNs(DG)(BLH)/F-BH-xxx
(xxx=480-515, in steps of 5, 120 cells)
CHSM60RNs(DG)/F-BH-xxx
(xxx=475-515, in steps of 5, 120 cells)
CHSM54RN(DGT)(BLH)/F-BH-xxx
(xxx=495-515, in steps of 5, 108 cells)
CHSM48RN(DG)/F-BH-xxx
(xxx=440-460, in steps of 5, 96 cells)
CHSM48RN(DG)(BLH)/F-BH-xxx
(xxx=440-455, in steps of 5, 96 cells)
CHSM48RN(DGT)(BLH)/F-BH-xxx
(xxx=440-455, in steps of 5, 96 cells)
CHSM09Ns(DG)(BLH)/F-BH-xxx
(xxx=65-70, in steps of 5, 18 cells)
Continued on Page 0016

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

TÜV Rheinland LGA Products GmbH
TÜVRheinland
Zertifizierungsstelle

Zertifizierungsstelle

Angela Yao

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
http://www.tuv.com/safety E-mail: markcheck@tuv.com
Fax: +49 221 806-3935

10/020 d 04.08 ® TÜV, TUEV and TUV are registered trademarks. Utilisation and application requires prior approval.

Zertifikat *Certificate*

Zertifikat Nr. *Certificate No.*
PV 50550375

Blatt *Sheet*
0016

Ihr Zeichen *Client Reference*	**Unser Zeichen** *Our Reference*	**Ausstellungsdatum** *Date of Issue*
Q.H	01-JS-CN224S2N 008	27.11.2024 *(day/mo/yr)*

Genehmigungsinhaber *License Holder*
Chint New Energy Technology
Co., Ltd.
No. 1 Jisheng Road,
Jianshan New Zone
Haining
314415 Zhejiang
P.R. China

Fertigungsstätte *Manufacturing Plant*
Refer to latest revision
of the annex list of factories

Prüfzeichen *Test Mark*

IEC 61701
Salt Mist
Resistance
Regular Production
Surveillance
TÜVRheinland
CERTIFIED
www.tuv.com
ID 1111256444

Geprüft nach *Tested acc. to*
IEC 61701:2020
EN IEC 61701:2020

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

PV Module

Continuation of Page 0015
Power range extension for following models:
Max. System Voltage: up to 1500 VDC (Voc at STC):
With ½ cut mono c-Si cells:
CHSM72M(DG)/F-HC-xxx
(xxx=560-570, in steps of 5, 144 cells)
CHSM60M(DG)/F-HC-xxx
(xxx=465-475, in steps of 5, 120 cells)
CHSM54M(DG)/F-HC-xxx
(xxx=420-425, in steps of 5, 108 cells)
With ½ cut of N-type mono c-Si cells:
CHSM78N(DG)/F-HC-xxx
(xxx=650-665, in steps of 5, 156 cells)
CHSM66RN(DG)/F-BH-xxx
(xxx=630-635, in steps of 5, 132 cells)
CHSM54RN(DG)/F-BH-xxx
(xxx=495-515, in steps of 5, 108 cells)
CHSM60RNs(DGT)(BLH)/F-BH-xxx
(xxx=480-490, in steps of 5, 120 cells)

Remarks:
- Manufacturing plant update: see annex.

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

TÜV Rheinland LGA Products GmbH
TÜVRheinland
Zertifizierungsstelle

Zertifizierungsstelle

Angela Yao

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
http://www.tuv.com/safety E-mail: markcheck@tuv.com
Fax: +49 221 806-3935

10/020 d 04.08 ® TÜV, TUEV and TUV are registered trademarks. Utilisation and application requires prior approval.

Zertifikat *Certificate*

Zertifikat Nr. *Certificate No.*
PV 50550375

Blatt *Sheet*
0015

Ihr Zeichen *Client Reference*	**Unser Zeichen** *Our Reference*	**Ausstellungsdatum**	*Date of Issue*
Q.H	01-JS-CN224S2N 008	27.11.2024	*(day/mo/yr)*

Genehmigungsinhaber *License Holder*
Chint New Energy Technology
Co., Ltd.
No. 1 Jisheng Road,
Jianshan New Zone
Haining
314415 Zhejiang
P.R. China

Fertigungsstätte *Manufacturing Plant*
Refer to latest revision
of the annex list of factories

Prüfzeichen *Test Mark*

TÜVRheinland CERTIFIED
IEC 61701
Salt Mist
Resistance
Regular Production
Surveillance
www.tuv.com
ID 1111256444

Geprüft nach *Tested acc. to*
IEC 61701:2020
EN IEC 61701:2020

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

PV Module

Same as Page 0001-0014

In addition:
Type Designation:
Max. System Voltage: up to 1500 VDC (Voc at STC):
CHSM60RNs(DG)(BLH)/F-BH-xxx
(xxx=480-515, in steps of 5, 120 cells)
CHSM60RNs(DG)/F-BH-xxx
(xxx=475-515, in steps of 5, 120 cells)
CHSM54RN(DGT)(BLH)/F-BH-xxx
(xxx=495-515, in steps of 5, 108 cells)
CHSM48RN(DG)/F-BH-xxx
(xxx=440-460, in steps of 5, 96 cells)
CHSM48RN(DG)(BLH)/F-BH-xxx
(xxx=440-455, in steps of 5, 96 cells)
CHSM48RN(DGT)(BLH)/F-BH-xxx
(xxx=440-455, in steps of 5, 96 cells)
CHSM09Ns(DG)(BLH)/F-BH-xxx
(xxx=65-70, in steps of 5, 18 cells)
Continued on Page 0016

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

TÜV Rheinland LGA Products GmbH Zertifizierungsstelle

Zertifizierungsstelle

Angela Yao

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
http://www.tuv.com/safety E-mail: markcheck@tuv.com
Fax: +49 221 806-3935

10/020 d 04.08 ® TÜV, TUEV and TUV are registered trademarks. Utilisation and application requires prior approval.

Zertifikat *Certificate*

Zertifikat Nr. *Certificate No.*
PV 50550375

Blatt *Sheet*
0016

Ihr Zeichen *Client Reference*	Unser Zeichen *Our Reference*	Ausstellungsdatum *Date of Issue*
Q.H	01-JS-CN224S2N 008	27.11.2024 *(day/mo/yr)*

Genehmigungsinhaber *License Holder*
Chint New Energy Technology
Co., Ltd.
No. 1 Jisheng Road,
Jianshan New Zone
Haining
314415 Zhejiang
P.R. China

Fertigungsstätte *Manufacturing Plant*
Refer to latest revision
of the annex list of factories

Prüfzeichen *Test Mark*

IEC 61701
Salt Mist
Resistance
Regular Production
Surveillance
TÜVRheinland
CERTIFIED
www.tuv.com
ID 1111256444

Geprüft nach *Tested acc. to*
IEC 61701:2020
EN IEC 61701:2020

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

PV Module

Continuation of Page 0015
Power range extension for following models:
Max. System Voltage: up to 1500 VDC (Voc at STC):
With ½ cut mono c-Si cells:
CHSM72M(DG)/F-HC-xxx
(xxx=560-570, in steps of 5, 144 cells)
CHSM60M(DG)/F-HC-xxx
(xxx=465-475, in steps of 5, 120 cells)
CHSM54M(DG)/F-HC-xxx
(xxx=420-425, in steps of 5, 108 cells)
With ½ cut of N-type mono c-Si cells:
CHSM78N(DG)/F-HC-xxx
(xxx=650-665, in steps of 5, 156 cells)
CHSM66RN(DG)/F-BH-xxx
(xxx=630-635, in steps of 5, 132 cells)
CHSM54RN(DG)/F-BH-xxx
(xxx=495-515, in steps of 5, 108 cells)
CHSM60RNs(DGT)(BLH)/F-BH-xxx
(xxx=480-490, in steps of 5, 120 cells)

Remarks:
- Manufacturing plant update: see annex.

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

TÜV Rheinland LGA Products GmbH
TÜVRheinland
Zertifizierungsstelle

Zertifizierungsstelle

Angela Yao

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
http://www.tuv.com/safety E-mail: markcheck@tuv.com
Fax: +49 221 806-3935

10/020 d 04.08 ® TÜV, TUEV and TUV are registered trademarks. Utilisation and application requires prior approval.

Anlage Fertigungsstättenliste
/Attachment List of Factories

PV 50550375 0001 Anlagenrevision / Annex revision 5

1

Chint New Energy Technology
Co., Ltd.
No. 1 Jisheng Road,
Jianshan New Zone
Haining
314415 Zhejiang, P.R. China

2

Chint New Energy Technology (Yancheng)
Co.,Ltd.
No.1 Tonghui Road, Dafeng District,
Yancheng City,
Jiangsu
P.R. China

3

Chint New Energy Technology
(Jiuquan) Co.,Ltd.
15 Jingwu Road, Jiuquan economic
and Technological Development
Zone, Suzhou District, Jiuquan City,
Gansu, P.R. China

4

Chint Solar (HaiNing) Co., Ltd.
No. 2 Jisheng Road, Jianshan New Zone,
Haining
314415 Zhejiang
P.R. China

5

Songyuan New Energy Technology
Co.,Ltd.
No.2211,Jiangye Avenue,
Yadahong Enterprise Service Center,
Ningjiang District,Songyuan,
Jilin, P.R. China

6

Chint Solar Technology (Yancheng)
Co.,Ltd.
No. 8, Fengyang Road,
Shanghai-Suzhou-Dafeng Industry Linkage Cluster,
Dafeng District, Yancheng City,
Jiangsu, P.R. China

7

Chint New Energy Technology (Yanchi)
Co.,Ltd.
Block 2, Yanchi County Industrial Park,
Wuzhong City, (North of Gaoshawo)
Ningxia
P.R. China

8

Chint Solar Technology (Yiwu) Co.,Ltd.
No. 1, Qingcheng West Road, Fotang Town,
Yiwu City, Jinhua City,
Zhejiang
P.R. China

TÜV Rheinland LGA Products GmbH Zertifizierungsstelle

10/020 d 04.08 ® TÜV, TUEV and TUV are registered trademarks. Utilisation and application requires prior approval.

9

Chint Solar Technology (Yueqing)
Co.,Ltd.
No.1 Xinneng Road,
Yueqing Bay Harbor Economic Development Zone,
Yueqing, Wenzhou City,
Zhejiang, P.R. China

10

Anhui Chaolong Solar Technology
Co., Ltd.
Weiyi Road (Near Jingshier Road),
Tianchang City,
239300 Anhui
P.R. China

11

Zibo JinenU Solar Technology Co., LTD
3005, Silk Road, Zhoucun District,
Zibo,
Shandong
P.R. China

12

Solarspace Technology (Suqian) Co., Ltd.
No. 1299,
Shanghai Road, Economic and Technological Development Zone,
Suqian City,
223800 Jiangsu
P.R. China

13

Kivanc Enerji Uretim Anonim Sirketi
Sahin Mahallesi Sait Polat Bulvarı No:396
Yenice/Tarsus/Mersin
Türkiye

14

Chint New Energy Technology
(Fuyang) Co.,Ltd.
No.177, TongDeng Road,
Lingqiao Town, Fuyang District,
Hangzhou,
Zhejiang, P.R. China

15

Chint New Energy Technology Co., Ltd.
(M4) No. 2 Jisheng Road, Jianshan New Zone,
Haining
314415 Zhejiang
P.R. China

16

ASTRONERGY SOLAR PANEL URETIM VE
TICARET ANONIM SIRKETI ADANA SUBESI
ACIDEREOSB MAH. SEDEF CAD. NO: 1 SARICAM
01900 ADANA
Türkiye

Dieser Anhang ersetzt den Vorgänger vom/
This annex replaces the previous annex dated

Datum / Date 21.07.2022

Zertifizierungsstelle
/ Certification Body

TÜV Rheinland LGA Products GmbH Zertifizierungsstelle

Angela Yao

10/020 d 04.08 ® TÜV, TUEV and TUV are registered trademarks. Utilisation and application requires prior approval.